

ZP-YJ-030502-042

BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

IMPORTANT

This *RGB Light Kit* is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.

Product picture and accessories



1. Install batteries on the spotlight remote controller first, prepare a pair of tweezers or utility knife, pry it open along the edge of the controller, then install 2 round batteries, and then close the controller. As the picture shows:

Note: Refer to the battery model in the picture(Batteries are not included in the product package).







Remote control function:

- A: Color light mode 1
- B: Color light mode 2
- C: Turn off
- D: Spotlight mode



2. First remove the original hood and center mesh grill, after removing the decorative net on the hood, install the spotlight on the hood and fix it with self-tapping screws. As shown in the picture:

SAUTV

ZP-YJ-030502-042








3. First, disconnect the spotlight wiring harness plug-in, facilitate subsequent wiring, and then connect the spotlight wiring harness to the vehicle running light wiring harness by

breaking the outer skin, and do the interface insulation protection. Finally, the re-connected spotlight wiring harness plug-in, and start the vehicle to check whether the spotlight is on normally. As the picture shows:

Note: Connect the red wire to the red wire, and connect the black wire to the brown wire.









ZP-YJ-030502-042

4. Remove the double-sided adhesive anti-mucous membrane on the surface of the spotlight drive box, and stick the drive box to the spare place of the original vehicle, and install back the hood and mesh grill to the vehicle. As the picture shows:







5. Installation finished.







ZP-YJ-030502-042



Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.