

## BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

The grille light is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

## INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK".  
Turn key to "OFF" position and remove from vehicle.

Product and accessories picture:



1. First, install batteries in the spotlight controller, prepare a pair of tweezers or a art knife, pry it open along the edge of the controller's gap, then install 2 round batteries, and then close the controller. As shown in picture:

Note: The battery is not in the package and needs to be purchased by oneself. The battery model can refer to the picture.

- A: Color light mode 1
- B: Color light mode 2
- D: Spotlight mode
- C: Close



# Mesh Grille with RGB Light for Honda Talon



ZP-YJ-030903-018



2. First unscrew the screws that secure the original grille, then remove the original grille, and then remove the original hood. As shown in picture:



3. First, disconnect the wire harness of the grille light, and connect the latter half of the wire harness to the original vehicle's reserved extension wire harness using a broken skin method (black wire connected to green, red wire connected to white). The interface needs to be insulated and protected. Then, install the grille and fix it with the original vehicle screws. Finally, reconnect the newly disconnected wire harness. As shown in picture:







# Mesh Grille with RGB Light for Honda Talon

**SAUTVS**

ZP-YJ-030903-018



4. Finally, start the vehicle to test whether the grille lights are working properly. After confirming that they are correct, remove the double-sided adhesive film on the surface of the drive box, stick the drive box to the gap between the original vehicle, and then install the original vehicle hood. As shown in picture:





# Mesh Grille with RGB Light for Honda Talon



ZP-YJ-030903-018

**Note:** Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.



5. Installation completed!

