

Fender Flares for Club Car DS

ZP-YJ-041910-001

SAUTVS®

BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted. Please retain these installation instructions for future reference.

This *fender flare* is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris.

PRODUCT



INSTALLATION INSTRUCTIONS

1. Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.

Front Fender Flare:

1. First, use the M4 self-tapping screws provided with the product to assemble the split fender flare into a complete unit. As shown in the figure:



2. Install the assembled fender flare in place, then use an M6 drill bit to create holes in the vehicle body according to the mounting holes on the fender flare. As shown in the figure:

NOTE: When drilling holes, you can first mark the hole positions with a marker pen, then remove the fender flares and drill according to the marks. This can prevent difficulties in installing and fixing the fender flares later due to deviations in the hole positions.



Fender Flares for Club Car DS

ZP-YJ-041910-001

SAUTVS®



3. Place the fender flares back on the vehicle, and fix them in sequence with M6 screws and flat washer nuts. As shown in the figure:



Rear Fender Flare:

1. The installation method for the rear fender flare is the same as for the front fender flare.

First, assemble the rear fender flare into a complete unit using the M4 self-tapping screws.



2. Before installing the fender flares, it is also necessary to drill holes in the vehicle. You can refer to the way of drilling holes for the front fender flares as described in Step 2. After

Fender Flares for Club Car DS

ZP-YJ-041910-001

SAUTVS®

completion, fix them in sequence with M6 screws and flat washer nuts (when fixing the rear fender flares with screws, it is necessary to lift the fender liner to tighten the nuts). (The other side can be installed and fixed in the same way.) As shown in the figure:



3. The installation is complete.



Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.

