

## BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

## IMPORTANT

The *Front Fascia* is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.


## INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK".  
Turn key to "OFF" position and remove from vehicle.

Product picture




1. Open the original hood and remove the decorative panels on both sides of the hood as well as the original front fascia. As the picture shows:







2. First assemble the front fascia as a whole, then remove the original headlights and springs from the original front fascia and transfer them to the new front fascia in the same manner. As the picture shows:



3. Install the new front fascia back onto the vehicle, securing it with the original fittings. (For non-light front fascia, please skip the following step) Then connect one end of the included adapter cable to the vehicle's reserved expansion port and the other end to the wiring harness of the front fascia's decorative lights. After completion, turn the original key to check if the small decorative lights illuminate properly. Once confirmed, reinstall the previously removed hood side panels and the original grille. As the picture shows:



4. Installation is complete.



**Note:** Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.